

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	3	"6304915" and (config\$7 near3 file) and (new function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 12:11
L5	22	"6304915" and (name function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 12:27
L6	21	"6304915" and (type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 12:36
L7	22	"6304915" and (type data function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 12:37
L8	22	"6304915" and (identity identification id describ \$3 descript\$3 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 13:03
L9	34	("6304915" or "5822520") and (identity identification id describ \$3 descript\$3 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 13:06
L10	40	("6304915" or "5822520") and (graphic \$4 symbol\$6 icon menu gui ui interface protocol test\$3 new function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 13:25

L11	31	("6304915" or "5822520") and (select \$4 instance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 13:55
L12	31	("6304915" or "5822520") and (protocol layer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 14:04
L13	34	("6304915" or "5822520") and (protocol layer\$3 abstract interface gui ui icon menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 14:11
L14	30	("6304915" or "5822520") and (associat \$3 parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 14:26
L15	5	("6304915" or "5822520") and (protocol near3 test\$3) and (gui ui interface icon menu graphic\$4 symbol \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 14:38
L16	5	("6304915" or "5822520") and (protocol near3 test\$3) and (gui ui interface icon menu graphic\$4 symbol \$6 select\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 14:42
L17	5	("6304915" or "5822520") and (protocol near3 test\$3) and (gui ui interface icon menu graphic\$4 symbol \$6 select\$4 new function \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 14:44
L18	6	("6304915" or "5822520") and (protocol with test\$3) and (gui ui interface icon menu graphic\$4 symbol \$6 select\$4 new function \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 14:51

L19	40	("6304915" or "5822520") and (protocol test\$3 gui ui interface icon menu graphic\$4 symbol\$6 select\$4 new function\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 14:51
L20	39	("6304915" or "5822520") and (parameter name data type config\$7 file new function\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 15:44
L21	39	("6304915" or "5822520") and (display \$3 nam\$3 menu icon graphic\$4 symbolic\$4 new function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 16:23
L22	20	("6304915" or "5822520") and (Forth Jscript VBScript)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 16:40
L23	10	("6304915" or "5822520") and (ini xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 16:50
L24	36	("6304915" or "5822520") and (ini xml config\$7 file read\$3 test transl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 16:51
L25	23	("6304915" or "5822520") and (oem default factory manufactur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:01
L26	23	("6304915" or "5822520") and (oem default factory manufactur\$3) and (config\$7 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:02

L27	34	("6304915" or "5822520") and (descript \$3 describ\$3 file includ \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:06
L28	33	("6304915" or "5822520") and (protocol layer\$3 select \$4 choos\$3 choise chos \$3 instance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:11
L29	33	("6304915" or "5822520") and (protocol layer\$3 select \$4 choos\$3 choise chos \$3 instance graphic\$4 symbolic\$4 icon menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:11
L30	0	("6304915" or "5822520") and (accass \$4 near3 pont)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:29
L31	0	("6304915" or "5822520") and (accass \$4 near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:29
L32	6	("6304915" or "5822520") and (access \$4 near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:29
L33	4	@ad< "20021115" and (forth or jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and include\$3 and ((protocol near3 data near3 unit) or (pdu)) and ((abstract near3 primitive near3 service) or (asp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:45

L34	0	@ad<"20021115" and (forth or jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and include\$3 and (protocol near3 data near3 unit) and (abstract near3 primitive near3 service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:51
L35	457	@ad<"20021115" and (forth or jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and (include\$3 near3 command\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:51
L36	5	@ad<"20021115" and (protocol near3 data near3 unit) and (abstract near3 primitive near3 service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 17:52
L37	0	@ad<"20021115" and (jscript or vbscript) and (ini or xml) and ((oem or factory or manufactur\$3) near3 set\$5) and (include\$3 near3 command\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 18:06
L38	35	@ad<"20021115" and (jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and (include\$3 near3 command\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 18:06
L39	34	@ad<"20021115" and (jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and (include\$3 near3 command\$3) and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 18:07
L40	0	@ad<"20021115" and (jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and ("include.h") and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 18:09

L41	0	@ad< "20021115" and (jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and ("include.h")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 18:09
L42	290	@ad< "20021115" and (jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and "#include"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 18:13
L47	290	@ad< "20021115" and (jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and ("#include")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 18:19
L48	114	@ad< "20021115" and (jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and ("#include" near3 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 18:22
L49	104	@ad< "20021115" and (jscript or vbscript) and (ini or xml) and (oem or factory or manufactur\$3) and ("#include" near3 file) and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 18:54
L50	11	@ad< "20021115" and (jscript or vbscript) and (ini or xml) and ((oem or factory or manufactur\$3) with protocol) and ("#include" near3 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 19:07
L51	2	"20030074393" and (ini or xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 19:55
L52	1	("6304915" or "20030074393") and (ini)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 20:05

S1	2	@ad< "20021115" and 709/230.ccls. and ((messag\$3 near3 sequen\$6 near3 chart\$3) or msc) and (config\$7 near3 file) and (config\$7 near3 file) and (forth or jscript or vbscript) and (ini or xml) and instance and protocol and (access\$4 near3 point) and ((protocol near3 data near3 unit) or (abstract near3 service near3 primitive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 16:30
S2	14	@ad< "20021115" and 709/230.ccls. and (protocol near3 test\$3) and (protocol near3 layer\$3) and type and parameter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 16:31
S3	5	@ad< "20021115" and ((protocol near3 data near3 unit) and (abstract near3 service near3 primitive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 16:32

12/ 11/ 2008 8:56:06 PM

C:\Documents and Settings\mfearer\My Documents\ EAST\ Workspaces\ 10692770_rce.wsp